



CERTIFICATE OF ANALYSIS

VVK10012335 Project #1, VVK10012335 Project#3

Products

Purified AAV1-Empty (Lot: 23-167)

Purified AAV4-Empty (Lot: 23-168)

Storage Conditions

The AAV vectors should be kept at -80°C for long term storage. When storing for frequent use, 4°C is recommended. Avoid storing at -20°C.

Shelf Life

5 years when stored at -80°C.

Shipping Conditions

Dry Ice

Description

- AAV1-Empty was produced in Sf9 cells by infection with rBV-inCap1-inRep-kozak-hr2 only. The final buffer is 1xPBS + 0.001% pluronic F-68 + 100mM Sodium Citrate.
- AAV4-Empty was produced in Sf9 cells by infection with rBV-inCap4-inRep-hr2 only. The final buffer is 1xPBS + 0.001% pluronic F-68 + 100mM Sodium Citrate.

The vectors were purified through 2 rounds of CsCl ultracentrifugation. CsCl was removed through buffer exchange with 2 PD-10 desalting columns. The vectors were then sterilized via filtration with 0.22 µm filters.

These vectors are for research use only and not for any human purposes.

Quality Control Data


qPCR or Nanodrop analysis was used to determine the titer(s) of the AAV sample(s). SDS-PAGE and SimplyBlue Staining (Invitrogen) techniques were used to verify the purity of the vectors (Fig. 1). DNA agarose gel electrophoresis was used to verify genome quality (Fig. 2).



Product Titers

Lot 23-167: 2E+13 vp/ml

Lot 23-168: 2E+13 vp/ml




Lane 1: Protein Ladder

Lane 2: AAV8 Standard Control 1E+11vg Loaded

Lane 4: 23-167 AAV1-Empty 1E+11vg Loaded

Lane 5: 23-168 AAV4-Empty 1E+11vg Loaded

Fig. 1. SDS-PAGE and InstantBlue Staining of purified samples.



Lane 1: DNA 1KB Ladder
Lane 4: 23-167 AAV1-Empty 1E+11vg Loaded
Lane 5: 23-168 AAV4-Empty 1E+11vg Loaded

Fig. 2: DNA agarose gel of purified samples.

Approved By: QA/QC Team Date: 2023-05-11