



## CERTIFICATE OF ANALYSIS

### **Purified AAV2-CMV-GFP (Lot 20-515)**

(for research use only)

### **Storage Conditions**

The AAV vectors should be stored at -80°C for long term usage. When storing for frequent use, 4°C is recommended. Avoid storing at -20°C. The plasmid should be stored at -20°C for long term usage.

### **Instruction**

Due to the nature of AAV2 is prompt to aggregate, please vortex and sonicate the AAV2 viruses prior to usage.

### **Shelf Life**

5 years when stored at -80°C. (AAV)

### **Shipping Conditions**

Ice packs overnight

### **Description**

AAV2-CMV-GFP was produced in insect Sf9 cells by infection with rBV-inCap2-inRepCap-kozak-hr2 (V449) (Fig 2) and rBV-CMV-GFP (V445) (Fig 3).

The vectors were purified through 2 rounds of CsCl ultracentrifugations. The CsCl was removed through buffer exchange with 2 PD-10 desalting columns. The AAVs are in 1xPBS+100 mM sodium citrate+ 0.001% pluronic F-68 buffer.

The vectors are for research use only, not for any human use.


### **qPCR Titer**

Lot 20-515: 2E+13 vg/ mL (final diluted)



### Quality Control Data

The vectors were sterilized with 0.22 $\mu$ m filter. SDS-PAGE and InstantBlue Staining (Expedeon) verified the purity of the vectors (Fig. 1). Real-time PCR analysis determined the titers of the AAV samples.



Lane M: Protein Ladder  
Lane 1: AAV8 control, 1e11 vg loaded  
Lane 5: 20-515 1e11 vg loaded  
Other lanes are unrelated samples

Fig. 1. SDS-PAGE and InstantBlue Staining of purified AAV2-CMV-GFP (Lot: 20-515).



Plasmids map

Created with SnapGene®




Fig. 2. Diagram of plasmid used to generate rBV- inCap2-inRepCap-kozak-hr2 (V449).




Fig. 3. Diagram of plasmid used to generate rBV- CMV-GFP (V445).

Approved by: AC Thursday, June 09, 2022